

agam

since 1995

Sealing
materials

Chemicals
for installations

Soldering
materials



www.agam.pl
www.agam.com.pl/en/home

AGAM Sp. z o.o.

Our company is a producer and distributor of sealing materials, soldering materials and installation chemicals. For over 25 years we have been supplying products which installers use in their daily work.

We have an extensive network of distributors in our country and we cooperate with many foreign partners. We are gradually strengthening our position on the international arena. Today, our products are available in more than 10 European countries.

First of all the AGAM brand is a guarantee of quality.

In our machine park we have equipment for the production and dosing of professional installation chemistry. Quality control at every stage of production guarantees all products leave the company according to established standards.

We put customer's satisfaction at the center of our interests. The success of our recipients is the foundation of our triumph. The goal of our efforts is to create values together with our clients.

Andrzej Mieszekiewicz
Chairman of the Board





Jointing compound AGAM

Use in conjunction with plumbers flax to seal threaded joints in water, gas, steam, heating, compressed air systems. Protects thread against corrosion. Does not dry up or stiffen to facilitate subsequent dismantling. Non allergic. Max. pressure: 20 bars. Max. temp. 130°C.

Product	Type of packing	Index	pcs./box
Jointing compound AGAM 65g	Tube	1010007	24 pcs.
Jointing compound AGAM 150g	Bucket	1010002	24 pcs.
Jointing compound AGAM 250g	Tube	1010001	24 pcs.
Jointing compound AGAM 360g	Bucket	1010003	24 pcs.
Jointing compound AGAM 500g	Bucket	1010004	24 pcs.
SET - Jointing compound AGAM 65g with flax 100g	Set	1010008	24 pcs.

Plumbing Flax AGAM

Long fibre obtained from the flax straw after the scutching process.



Product	Type of packing	Index	pcs./box
Plumbing Flax AGAM 100g	Plastic bag	1009102	300 pcs.
Plumbing Flax AGAM 200g	Plastic bag	1009103	100 pcs.
Plumbing Flax AGAM 500g	Plastic bag	1009104	60 pcs.
Plumbing Flax AGAM 1000g	Plastic bag	1009105	30 pcs.
Plumbing Flax AGAM in ball 100g	Foil	1009106	8 pcs.
Plumbing Flax AGAM In spool 80g	Bag	1009107	10 pcs.
Plumbing Flax AGAM In spool 80g in dispenser	Dispenser	1009109	25 pcs.
Plumbing Flax AGAM 50g		1009001	25/50/500 kg
Plumbing Flax AGAM 100g		1009002	25/50/500 kg
Plumbing Flax AGAM 200g		1009003	25/50/500 kg
Plumbing Flax AGAM 500g		1009004	25/50/500 kg
Plumbing Flax AGAM 1000g		1009005	25/50/500 kg

PTFE Thread seal tape AGAM

For all industrial applications. Made from 100% virgin PTFE. No pigments, no additives. May be used on all applications including water, oil, chemical, medical, and food processing where non-contamination standards are high.



Product	Index	pcs./box
AGAM TAPE 2	1020001	10/250 pcs.
MAX AGAM TAPE 2	1020002	10/250 pcs.
MIDI AGAM TAPE 2	1020003	10/250 pcs.
PROFESSIONAL 10M	1020004	10/250 pcs.
PROFESSIONAL 15M	1020005	10/250 pcs.

Sanitary silicone AGASANIT

Silicone sealing mass, resistant to long term water wear, UV rays, low and high temperatures, chemicals, cleaning detergents and greases. Contains fungicide preventing from moulding. It has excellent adhesion to metal, glass, ceramics, wall and floor tiles, most plastics.



Product	Type of packing	Index	pcs./box
AGASANIT 300ml White	Cartouche	1050008	15 pcs.
AGASANIT 300ml Transparent	Cartouche	1050009	15 pcs.
AGASANIT 70ml White	Tube	1050040	50 pcs.
AGASANIT 70ml Transparent	Tube	1050041	50 pcs.

Anaerobic sealant AGATECH

Anaerobic single-component product with a mean mechanic unscrewing resistance. It is used to lock and seal threaded parts and smooth couplings resistant to thermal endurance, vibration and mechanical stress resistance. Suitable to seal threads of: gas, LPG, methane, hydrocarbons, oils, gas oils, water, etc. from -50 °C to +150 °C. Use also on plastic material after applying the special spray activator ACTIV-SEAL on the thread. Disassembly: medium.



Product	Type of packing	Index	pcs./box
AGATECH 50ml	Bottle	1012001	12 pcs.

Thread sealing cord LOCTITE 55

Loctite 55 nylon cord for sealing threaded pipe joints.



Product	Type of packing	Index	pcs./box
Loctite55 50m	Dispenser	37687	24 pcs.
Loctite55 160m	Dispenser	2057197	48 pcs.

Thread sealing cord TWINEFLON

TWINEFLON is a dynamic 100% PTFE monofilament for sealing threaded pipe joints. Product good for high temperture (-50°C, +260°C).



Product	Type of packing	Index	pcs./box
Twineflon 175m	Dispenser	1020006	25 pcs.

LUBRICANTS

LUBRICANTS

LUBRICANTS

LUBRICANTS

LUBRICANTS

LUBRICANTS

AGASLIDE Lubricant for PVC

The sliding lubricant to facilitate jointing and dismantling of plastic pipes and couplers. This lubricant protects rubber rings from drying out to allow disassembly of the joints after a long period of time. The lubricant is resistant to low temperatures to suit assembly of outdoor systems.

Product	Type of packing	Index	pcs./box
AGASLIDE 150ml	Bottle	1050014	24 pcs.
AGASLIDE 250ml	Bottle	1050002	12 pcs.
AGASLIDE 500ml	Bottle	1050003	12 pcs.
AGASLIDE 1l	Bucket	1050011	6 pcs.
AGASLIDE 3l	Bucket	1050012	1 pcs.
AGASLIDE 5l	Bucket	1050013	1 pcs.



AGA-SIL Silicon spray

The lubricant agent preserves metal, rubber, plastic and wooden elements. Technical properties: the spray is extremely suitable as a lubrication and friction agent, resistant to temperatures from -40°C to 300°C and preserves the sprayed surfaces. The spray protects the parts against corrosion, deposition of dirt, drying, freezing and clumping. Also, it supremely displaces the water. Application: the spray facilitates assembling of PVC pipes, drawing electrical cables in tubes, lubricates the rubber seals, chains, hinges, locks, fittings and tools. It eliminates sand and gridding of sliding elements.

Product	Type of packing	Index	pcs./box
AGA-Sil silicon spray 400ml	Can	1050010	12 pcs.



SOLDERING MATERIALS

SOLDERING MATERIALS

SOLDERING MATERIALS

SOLDERING MATERIALS

Cleaning brushes for copper pipes AGAM

Cleaning brushes made from high quality steel and beech hand.

Product	Index	pcs./box
Brush Ø15	1040001	10 pcs.
Brush Ø18	1040002	10 pcs.
Brush Ø22	1040003	10 pcs.
Brush Ø28	1040004	10 pcs.



CHEMICALS FOR INSTALATION

CHEMICALS FOR INSTALATION

CHEMICALS FOR INSTALATION

PVC-PLAST

Special solvent cement for joining rigid PVC pipes and accessories of pressure systems. Specifically indicated to bond thermoplastic piping systems.

Product	Type of packing	Index	pcs./box
PVC-PLAST 125ml	Bottle	1012004	12
PVC PLAST CLEANER 250ml	Bottle	1012005	12



AGA-IK Central Heating Inhibitor

This is a product preventing carbonates to adhere and protecting from oxidation and corrosion, by forming a protective molecular film on thermal systems walls and eliminating thermal and gas shocks due to the assembling of different metals. It is compatible with ordinary antifreezing products.

Product	Type of packing	Index	pcs./box
AGA-IK Central Heating Inhibitor 1L	Bottle	1050006	12




AGA-SCI Central Heating Cleaner

Scale remover, detergent for oxides, sludge and mud. It also exerts an anticorrosive action protecting the installations and reducing the excessive formation of encrustations. It keeps lime scales and deposits in suspension in the plant. It is chromate free according to the regulations in force (Law no. 319/76).

Product	Type of packing	Index	pcs./box
AGA-SCI Central Heating Cleaner 1L	Bottle	1050007	12


AGATESTER - Leak detector

For the fast, comfortable, and reliable location of leaks in pressurized pipes or tanks.

Product	Type of packing	Index	pcs./box
AGATESTER - Leak detector 300 ml	Can	1050001	12 pcs.


AGA-CU Copper spray

Product made from copper powder. Characteristics: protects from corrosion and rubbing off mobile elements, additionally protects threaded fixings exposed to frost and sun, resistant to temperatures from -40°C to 1100°C, suitable for places exposed to moisture, water, mechanical risk, fluctuations of temperatures, prevents against scorch and heat of jointing elements.

Product	Type of packing	Index	pcs./box
AGA-CU Copper spray 400ml	Can	1050004	12 pcs.


AGA-ZN Zink spray

Quick-drying zinc spray for protection of metal surfaces against rust. The product is resistant to weather conditions, creates permanent zinc coating, good adhesive to surface, resistant to temperatures up to 500°C.

Product	Type of packing	Index	pcs./box
AGA-ZN Zink spray 400ml	Can	1050005	12 pcs.


GWINTOL Cutting oil

It is highly efficient product based on mineral oils, used to threading processes with hand or power tools. It contains antioxidants and anti-foam. Used to obtain accurate threads. Also suitable for milling processes, cutting and threading.

Product	Type of packing	Index	pcs./box
GWINTOL Cutting oil in spray 600ml	Can	1050020	12 pcs.
GWINTOL Cutting oil 5l	Bottle	1050021	1 pcs.


Pipe cutter AT 3-30

Cooper pipe cutter Ø 3 - 30 mm (1/8" - 1.1/8") for the precise cutting of cooper pipe.

Product	Type of packing	Index	pcs./box
AT 3-30mm Pipe cutter	Blister	1070001	10 pcs.


Telescopic pipe cutter AGAM AT 5-50

Telescopic pipe cutter Ø 5-50mm for the precise cutting of cooper pipe.

Product	Type of packing	Index	pcs./box
Telescopic pipe cutter AGAM AT 5-50	Blister	1070002	10 pcs.


PVC Pipe Cutter NO

PVC pipe cutter for quick, clean and right cuts.

Product	Type of packing	Index	pcs./box
PVC Pipe Cutter NO 42MM	Blister	1070004	6 pcs.
Extra blade for PVC NO 42mm		1070007	1 pcs.
PVC Pipe Cutter NO 63MM	Blister	1070010	1 pcs.


RAFEN Water pipe pliers NO 240mm

The pliers are designed for hydraulic and assembly work. They enable fast and precise work with little effort. An additional advantage is the locking function, which prevents unintentional movement and change in opening width of the jaw.

Product	Index	pcs./box
Water pipe pliers AGAM NO 240mm	1070011	1 pcs.

RAFEN Manual cartridge gun

The RAFEN manual squeezer is used to extract the substance contained in the cartouche. The reinforced design of the product increases the pressure and effectiveness of the application. This is especially important when extruding thick, sticky substances. Excellent transfer of pressure force makes it easier to carry the mass.



Product	Index	pcs./box
RAFEN CAULKING GUN plastic	1070020	1 pcs.
RAFEN CAULKING GUN aluminium	1070021	1 pcs.

TECHNICAL TAPES

TECHNICAL TAPES

TECHNICAL TAPES

TECHNICAL TAPES

TECHNICAL TAPES

Duct Tape Pro AGAM

Universal duct tape from LDPE film and polyester fabric. Excellent (initial) adhesion on to smooth or rough substrates. Temperature resistance - 10°C do +75°C.

Product	Index	pcs./box
Duct Tape Pro Gray 48mm 10yd	1011004	36 pcs.
Duct Tape Pro Gray 48mm 25yd	1011005	36 pcs.
Duct Tape Pro Gray 48mm 50yd	1011006	24 pcs.
Duct Tape Pro Red 48mm 10yd	1011001	36 pcs.
Duct Tape Pro Red 48mm 25yd	1011002	36 pcs.
Duct Tape Pro Red 48mm 50yd	1011003	24 pcs.
Duct Tape Pro Blue 48mm 10yd	1011012	36 pcs.
Duct Tape Pro Blue 48mm 25yd	1011013	36 pcs.
Duct Tape Pro Blue 48mm 50yd	1011014	24 pcs.



1yd = 9,14 m

Aluminium tape AGAM ALU+

Thickness 190 µm. Glass fabric reinforced insulation and sealing tape with a temperature range of -5° C to +90° C.

Technical data: Carrier type: Aluminium foil; Liner type: One-sided siliconised paper; Adhesive type: Solvent acrylic

Product	Index	pcs./box
Tape AGAM ALU+ 45m x 48mm	1011007	24 pcs.
Tape AGAM ALU+ 45m x 72mm	1011008	16 pcs.
Tape AGAM ALU+ 45m x 96mm	1011009	12 pcs.



PVC Tape AGAM

A PVC carrier in combination with a natural rubber adhesive. General purpose isolation tape.

Product	Index	pcs./box
PVC Tape AGAM 33m x 30 mm	1011010	60 pcs.
PVC Tape AGAM 33m x 50 mm	1011011	36 pcs.



WARNING TAPES

Vide variety of warning and separating notices and logos used in: electric or gas installations or telecommunication.

Product	Index	pcs./box
Yellow – Red Tape 8cm x 100m	1012002	12 pcs.
White – Red Tape 8cm x 100m	1012003	12 pcs.





AGAM Sp. z o.o.
Lyski 77N, 16-070 Choroszcz
POLAND

www.agam.pl
office@agam.pl
tel. +48 85 74 74 019